# PHYTOCHEMISTRY

*THE INTERNATIONAL JOURNAL*

*OF PLANT BIOCHEMISTRY*

*Editor-in-Chief*
**J. B. HARBORNE**

*Associate Editor (North America)*
**N. G. LEWIS**

*Executive Editor*
**T. A. SMITH**

Volume 36 Contents, Author Index and
Subject Index 1994

**PERGAMON**

# PHYTOCHEMISTRY

## The International Journal of Plant Biochemistry



*Editor-in-Chief*

J. B. HARBORNE: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

*Associate Editor (North America)*

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

*Executive Editor*

T. A. SMITH: Long Ashton Research Station, Bristol BS18 9AF, U.K.

*Associate Editors*

L. J. GOAD: Dept. of Biochemistry, Liverpool University, Liverpool L69 3BX, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster LA1 4YQ, U.K.

D. R. THRELFALL: Dept. of Applied Biology, School of Life Sciences, University of Hull, Hull HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

*Production Editors*

Z. H. WILCOCK, S. L. SHEPHERD: Journals Production Dept., Research Journals, Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

---

EDITORIAL BOARD—1994

| | |
|---|---|
| Y. Asakawa: | Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan. |
| E. A. Bell: | Dept. of Biochemistry, King's College, Strand, London WC2R 2LS, U.K. |
| E. G. Brown: | Dept. of Biochemistry, University College of Swansea, Singleton Park SA2 8PP, U.K. |
| E. E. Conn: | Dept. of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A. |
| G. Cordell: | Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A. |
| R. Croteau: | Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A. |
| V. De Luca: | Dept. de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2. |
| B. Ellis: | Dept. of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C. Canada V6T 1Z4. |
| N. H. Fischer: | Dept. of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A. |
| L. Fowden: | Rothamsted Experimental Station, Harpenden, Herts., U.K. |
| T. W. Goodwin: | 9 Woodlands Close, Parkgate, S. Wirral, Cheshire L64 6RU, U.K. |
| O. R. Gottlieb: | Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil. |
| J. L. Harwood: | Dept. of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K. |
| V. Herout: | Dept. of Natural Products, Inst. Organic Chemistry, Flemingovo N2, Praha 6, Czech Republic. |
| W. Herz: | Dept. of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A. |
| K. Hostettmann: | Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland. |
| E. Leete: | School of Chemistry, Minnesota University, Minneapolis, MN 55455, U.S.A. |
| M. Luckner: | Sektion Pharmazie, Universität Halle (Saale), Germany. |
| T. J. Mabry: | Dept. of Botany, University of Texas at Austin, TX 78712, U.S.A. |
| P. Mazliak: | Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France. |
| B. V. Milborrow: | School of Biochemistry, University of N.S.W., P.O. Box 1, Kensington, NSW 2033, Australia. |
| T. Okuda: | Okayama University of Sciences, Tsushima, Okayama 700, Japan. |
| J. D. Phillipson: | School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K. |
| J. E. Poulton: | Dept. of Botany, University of Iowa, Iowa City, IA 52242, U.S.A. |
| T. ap Rees: | Botany School, University of Cambridge, Downing Street, Cambridge CB2 3EA, U.K. |
| U. Sankawa: | Faculty of Pharmaceutical Sciences, University of Tokyo, Hongo 7-3-1, Bunkyo-ku, Tokyo 113, Japan. |
| J. Tempe: | Institut des Sciences Végétales, CNRS, 91198-Gif sur Yvette and Institut National Agronomique Paris-Grignon, 75231-Paris, France. |
| G. H. N. Towers: | Dept. of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4. |
| H. Wagner: | Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany. |
| P. G. Waterman: | Phytochemistry Research Laboratories, Dept. of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K. |
| M. H. Zenk: | Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany. |


---

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 35, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).


*Publishing and Advertising Offices:* The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. *Annual Institutional Subscription Rates* (1995): North, Central and South America, U.S.$1766.00, Rest of World, £1185.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Published monthly plus additional issues in January, March, May, July, September and November (three volumes 1994). Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and for the remainder of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. *Microform Back Issues:* Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

Second class postage paid at NEWARK NJ and additional Mailing Offices. Postmaster send address corrections to *Phytochemistry*, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.



Copyright © 1994 Elsevier Science Ltd

# CONTENTS OF VOLUME 36

## Number 1


**Growth and Metabolism**

*N*-Acetyl-β-D-glucosaminidase from 'Golden Delicious' apples — 1 SEONG YONG CHOI and K. C. GROSS

Acyl-CoA synthetase activity associated with rapeseed lipid body membranes — 7 J. A. OLSEN and K. R. LUSK

Pectic polymer changes in nectarines during normal and abnormal ripening — 11 S. LURIE, A. LEVIN, L. C. GREVE and J. M. LABAVITCH

Incorporation and cell-cycle effects of short-chain fatty acids in pea root meristems — 19 W. A. TRAMONTANO, P. GELARDI and D. JOUVE

Plant growth inhibiting α-pyrones from *Alpinia speciosa* — 23 T. FUJITA, H. NISHIMURA, K. KABURAGI and J. MIZUTANI

Germination and growth inhibitory sesquiterpene lactones and a flavone from *Tithonia diversifolia* — 29 N. C. BARUAH, J. C. SARMA, N. C. BARUA, S. SARMA and R. P. SHARMA

**Ecological Biochemistry**

A cyanoglucoside, sarmentosin, from the Magpie moth, *Abraxas grossulariata*, Geometridae: Lepidoptera — 37 R. NISHIDA, M. ROTHSCHILD and R. MUMMERY

Limonoid antifeedants from Chinese *Melia azedarach* — 39 M. NAKATANI, RUO CHUN HUANG, H. OKAMURA, H. NAOKI and T. IWAGAWA

Necrodane (1,2,2,3,4-pentamethylcyclopentane) derivatives in *Lavandula luisieri*, new compounds to the plant kingdom — 43 M. I. GARCÍA-VALLEJO, M. C. GARCÍA-VALLEJO, J. SANZ, M. BERNABÉ and A. VELASCO-NEGUERUELA

Reduction of gramine concentration by γ-irradiation in seedlings of *Hordeum vulgare* var. Amaginijo — 47 M. SATÔ and A. HIRAOKA

**Cell Culture and Biotechnology**

Biotransformation of (+)- and (−)-fenchone by cultured cells of *Eucalyptus perriniana* — 55 Y. ORIHARA and T. FURUYA

Ginsenoside contents of plantlets regenerated from *Panax ginseng* embryoids — 61 I. ASAKA, I. II, M. HIROTANI, Y. ASADA and T. FURUYA

The quinoline alkaloids camptothecin and 9-methoxycamptothecin from tissue cultures and mature trees of *Nothapodytes foetida* — 65 G. ROJA and M. R. HEBLE

**Chemotaxonomy**

Yield and composition of the essential oil of *Thymus serpylloides* subsp. *serpylloides* — 67 M. L. ARREBOLA, M. C. NAVARRO, J. JIMÉNEZ and F. A. OCAÑA

Chenopodene, marchantin P and riccardin G from the liverwort *Marchantia chenopoda* — 73 M. TORI, M. AOKI and Y. ASAKAWA

*ent*-Rosa-5,15-diene, a diterpene hydrocarbon in *Cryptomeria* leaf oil — 77 S. NAGAHAMA, M. TAZAKI, K. NISHIMURA and M. TAJIMA

Rhododendrol glycosides and phenyl glucoside esters from inner bark of *Betula pubescens* — 79 HEFENG PAN and L. N. LUNDGREN

**Plant Chemistry**

The mechanism of the rearrangement of the neurotoxin β-ODAP to α-ODAP — 85 A. DE BRUYN, C. BECU, F. LAMBEIN, N. KEBEDE, B. ABEGAZ and P. B. NUNN

| | | |
|---|---|---|
| Nitrile glucosides and rosmarinic acid, the histamine inhibitor from *Ehretia philippinensis* | 91 | L. R. Simpol, H. Otsuka, K. Ohtani, R. Kasai and K. Yamasaki |
| Sulphated xylogalactans from *Nothogenia fastigiata* | 97 | M. C. Matulewicz, H. H. Haines and A. S. Cerezo |
| *erythro*-Hentriacontane-6,8-diol and 11 other alkane-6,8-diols from *Carthamus tinctorius* | 105 | T. Akihisa, H. Oinuma, T. Tamura, Y. Kasahara, K. Kumaki, K. Yasukawa and M. Takido |
| Kaurane and trachylobane diterpenes from *Xylopia aethiopica* | 109 | G. G. Harrigan, V. da S. Bolzani, A. A. L. Gunatilaka and D. G. I. Kingston |
| Tilifolidione, a cycloheptanenaphthoquinone-type diterpenoid of abietanic origin from the roots of *Salvia tiliaefolia* | 115 | J. G. Luis, W. Quiñones and F. Echeverri |
| Terpenoids of *Alisma orientale* rhizome and the crude drug Alismatis rhizoma | 119 | Y. Nakajima, Y. Satoh, M. Katsumata (nee Ohtsuka), K. Tsujiyama (nee Mikoshiba), Y. Ida and J. Shoji |
| 3,4-*seco*-Oleana-4(23),18-dien-3-oic acid and other triterpenes from *Euphorbia chamaesyce* | 129 | R. Tanaka, T. Ida, Y. Takaoka, S. Kita, W. Kamisako and S. Matsunaga |
| Bacoside $A_3$—a triterpenoid saponin from *Bacopa monniera* | 133 | S. Rastogi, R. Pal and D. K. Kulshreshtha |
| Oleanane glycosides from roots of *Glycyrrhiza yunnanensis* | 139 | K. Ohtani, R. Kasai, Chong-Ren Yang, K. Yamasaki, Jun Zhou and O. Tanaka |
| Oleanolic acid saponins from root-bark of *Aralia elata* | 147 | Y. Satoh, S. Sakai, M. Katsumata (nee Ohtsuka), M. Nagasao, M. Miyakoshi, Y. Ida and J. Shoji |
| 7-Oxo-10α-cucurbitadienol from the seeds of *Trichosanthes kirilowii* and its anti-inflammatory effect | 153 | T. Akihisa, K. Yasukawa, Y. Kimura, M. Takido, W. C. M. C. Kokke and T. Tamura |
| Structure revision of cucurbitacin $Q_1$ | 159 | H. Abd El-Fattah |
| Limonoids from *Atalantia zeylanica* | 163 | R. D. Bennett, S. Hasegawa and R. Y. Wong |
| Acylglucosylsterols from two *Aegiphila* species | 167 | S. G. Leitão, M. A. C. Kaplan and F. Delle Monache |
| Steroidal compounds from *Teucrium chamaedrys* subsp. *chamaedrys* | 171 | A. Ulubelen, G. Topcu and Ü. Kaya |
| Brassinosteroids and sterols from seeds of *Beta vulgaris* | 175 | J. Schmidt, C. Kuhnt and G. Adam |
| Withanolides from *Iochroma gesnerioides* | 179 | D. Alfonso and I. Kapetanidis |
| Configurational purity of capsaicin olefin | 185 | G. W. Kirby and G. T. Walker |
| Resorcinol derivatives and other components from *Ononis viscosa* subsp. *breviflora* | 189 | A. F. Barrero, E. Cabrera, I. Rodríguez and E. M. Fernández-Gallego |
| Phenolic ether lipids with an *n*-alkenylresorcinol moiety from a Bolivian strain of *Botryococcus braunii* (A race) | 195 | P. Metzger |
| Nor-neolignan and phenyl propanoid from *Zanthoxylum ailanthoides* | 213 | Wine-Show Sheen, Ian-Lih Tsai, Che-Ming Teng and Ih-Sheng Chen |

Stem bark coumarins of *Citrus grandis* 217 TIAN-SHUNG WU, SHIOW-CHYN HUANG and JENG-SHIOW LAI

Furocoumarins from the rhizomes of *Dorstenia brasiliensis* 221 R. M. KUSTER, R. R. BERNARDO, A. J. R. DA SILVA, J. P. PARENTE and W. B. MORS

Variations in the chemical shift of the 5-hydroxyl proton of isoflavones; two isoflavones from licorice 225 T. FUKAI, J. NISHIZAWA and T. NOMURA

Flavonol glycosides from *Cephalocereus senilis* 229 QIN LIU, MING LIU, T. J. MABRY and R. A. DIXON

Four isoprenoid-substituted flavonoids from *Glycyrrhiza aspera* 233 T. FUKAI, LU ZENG, J. NISHIZAWA, YING-HUA WANG and T. NOMURA

Dimeric 2-quinolone alkaloid and antiplatelet aggregation constituents of *Zanthoxylum simulans* 237 IH-SHENG CHEN, SHWU-JEN WU, YUH-CHWEN LIN, IAN-LIH TSAI, H. SEKI, FENG-NIEN KO and CHE-MING TENG

*N*-Benzylisoquinoline alkaloids from *Ceratocapnos heterocarpa* 241 R. SUAU, M. V. SILVA, I. RUIZ and M. VALPUESTA

Helibractinecine, a pyrrolizidine alkaloid from *Heliotropium bracteatum* 245 A. J. LAKSHMANAN and S. SHANMUGASUNDARAM

**Short Reports**

Filifolinol, a rearranged geranyl aromatic derivative from the resinous exudate of *Heliotropium filifolium* 249 R. TORRES, L. VILLARROEL, A. URZUA, F. DELLE MONACHE, G. DELLE MONACHE and E. GACS-BAITZ

Columbaridione, a diterpenequinone from *Salvia columbariae* 251 J. G. LUIS, T. A. GRILLO, W. QUIÑONES and M. P. KISHI

Revision of the structure of alatinone to emodin 253 T. R. KELLY, ZHENKUN MA and WEI XU

A prenylated flavanone from roots of *Maackia amurensis* subsp. *buergeri* 255 N. MATSUURA, R. NAKAI, M. IINUMA, T. TANAKA and K. INOUE

**Book Reviews**

Shikimic Acid: Metabolism and Metabolites: by E. HASLAM 257 J. B. HARBORNE

Biotechnology in Agriculture and Forestry: edited by Y. P. S. BAJAJ 257 J. B. HARBORNE

Pharmacognosie: Phytochimie, Plantes Médicinales: by J. BRUNETON 258 G. MASSIOT

Inulin and Inulin-Containing Crops, Studies in Plant Science: edited by A. FUCHS 258 J. B. HARBORNE

## Number 2

**Growth and Metabolism**

Gaseous nitric oxide stimulates guanosine-3′,5′-cyclic monophosphate (cGMP) formation in spruce needles 259 S. PFEIFFER, B. JANISTYN, G. JESSNER, H. PICHORNER and R. EBERMANN

Inhibition of enzymatic indole-3-acetic acid oxidation by phenols 263 S. N. KRYLOV, S. M. KRYLOVA, I. G. CHEBOTAREV and A. B. CHEBOTAREVA

Gibberellins in tulip bulb sprouts during storage 269 M. REBERS, E. VERMEER, E. KNEGT, C. J. SHELTON and L. H. W. VAN DER PLAS

Occurrence of a growth inhibitor, 3-hydroxy-$\beta$-ionone, in seven cultivars of *Phaseolus vulgaris* and its role in light-induced growth inhibition 273 H. KATO-NOGUCHI

| | | |
|---|---|---|
| The lectin from *Pleurotus ostreatus*: purification, characterization and interaction with a phosphatase | 277 | F. Conrad and H. Rüdiger |
| Partial purification and properties of lathyrine synthase | 285 | E. G. Brown and J. Mohamad |
| Synthesis and *Agrobacterium vir*-inducing activities of coniferyl alcohol $\beta$-glycosides | 289 | D. Delay, F. Dyé, J.-P. Wisniewski and F. Delmotte |
| **Ecological Biochemistry** | | |
| Oryzalexin F, a diterpene phytoalexin from UV-irradiated rice leaves | 299 | H. Kato, O. Kodama and T. Akatsuka |
| **Biosynthesis** | | |
| Biosynthesis of triterpenoids in cultured cells, and regenerated and wild plant organs of *Taraxacum officinale* | 303 | T. Akashi, T. Furuno, T. Takahashi and Shin-ichi Ayabe |
| Isolation and enzymatic synthesis of an ester alkaloid, (−)-3$\beta$-hydroxy-13$\alpha$-tigloyloxylupanine, from *Cytisus scoparius* | 309 | K. Saito, H. Suzuki, Y. Yamashita and I. Murakoshi |
| **Cell Culture and Biotechnology** | | |
| Stimulation of synthesis and release of swainosonine from transformed roots of *Swainsona galegifolia* | 313 | T. M. Ermayanti, J. A. McComb and P. A. O'Brien |
| A metabolite of 24-*epi*-brassinolide in cell suspension cultures of *Lycopersicon esculentum* | 319 | B. Schneider, A. Kolbe, A. Porzel and G. Adam |
| Production of anti-tumour-promoting furanonaphthoquinones in *Tabebuia avellanedae* cell cultures | 323 | S. Ueda, T. Umemura, K. Dohguchi, T. Matsuzaki, H. Tokuda, H. Nishino and A. Iwashima |
| Induction of a specific methyltransferase activity regulating berberine biosynthesis by cytokinin in *Thalictrum minus* cell cultures | 327 | M. Hara, S. Tanaka and M. Tabata |
| *In vivo* $^{15}$N NMR studies of secondary metabolism in transformed root cultures of *Datura stramonium* and *Nicotiana tabacum* | 333 | Y.-Y. Ford, G. G. Fox, R. G. Ratcliffe and R. J. Robins |
| **Chemotaxonomy** | | |
| Epicuticular waxes of *Sedum* series *Rupestria* | 341 | J. F. Stevens, H. 't Hart, A. J. A. Pouw, A. Bolck and J. H. Zwaving |
| Leaf wax alkanes in the genus *Coincya* | 349 | J. Vioque, J. Pastor and E. Vioque |
| Variations in flavonoid sulphate patterns in relation to photosynthetic types of five *Flaveria* species | 353 | A. Hannoufa, R. H. Brown and R. K. Ibrahim |
| 1-Hydroxytropacocaine: an abundant alkaloid of *Erythroxylum novogranatense* var. *novogranatense* and var. *truxillense* | 357 | J. M. Moore, P. A. Hays, D. A. Cooper, J. F. Casale and J. Lydon |
| **Plant Chemistry** | | |
| Isolation of the chlorophyll-related pigment isochlorin-$e_4$ from the tropical red alga *Dasya pedicellata* | 361 | W. P. Frankmolle and W. Fenical |
| Stoloniferins I–VII, resin glycosides from *Ipomoea stolonifera* | 365 | N. Noda, N. Takahashi, T. Kawasaki, K. Miyahara and Chong-Ren Yang |
| Iridoid glucosides in *Zaluzianskya capensis* | 373 | S. Damtoft |
| Depresteroside, a mixed iridoid–secoiridoid structure from *Gentiana depressa* | 377 | A. J. Chulia, J. Vercauteren and M. Kaouadji |
| Tetrahydroisoquinoline-monoterpene glucosides from *Alangium lamarckii* and *Cephaelis ipecacuanha* | 383 | A. Itoh, T. Tanahashi, N. Nagakura and H. Nayeshiro |
| Sesquiterpene lactones from *Tanacetum argenteum* | 389 | N. Gören, E. Tahtasakal, J. M. Pezzuto, G. A. Cordell, B. Schwarz and P. Proksch |
| 2,3-Secogermacranolides and germacranolides from *Pyrethrum santolionoides* | 393 | A. A. Mahmoud, A. A. Ahmed, M. Iinuma and T. Tanaka |

| | | |
|---|---|---|
| A germacranolide from *Blainvillea latifolia* | 399 | D. D. Sawaikar, S. R. Rojatkar and B. A. Nagasampagi |
| Diterpenoids from *Pterodon polygalaeflorus* | 403 | A. M. Campos, E. R. Silveira, R. Braz-Filho and T. C. Teixeira |
| Rearranged taxanes from *Taxus baccata* | 407 | G. Appendino, G. Cravotto, R. Enriu, J. Jakupovic, P. Gariboldi, B. Gabetta and E. Bombardelli |
| Triterpenoids from the aerial parts of *Salvia montbretii* | 413 | A. Ulubelen, G. Topcu, H. Lotter, H. Wagner and C. Eriş |
| A tetracyclic triterpenoid from *Garuga pinnata* | 417 | G. Venkatraman, P. S. Thombare and B. K. Sabata |
| Bitter principles of *Luffa echinata* | 421 | M. U. Ahmad, M. E. Huq and R. K. Sutradhar |
| Iristectorenes A and C–G, monocyclic triterpene esters from *Iris tectorum* | 425 | K. Seki, T. Tomihari, K. Haga and R. Kaneko |
| Iristectorene B, a monocyclic triterpene ester from *Iris tectorum* | 433 | K. Seki, T. Tomihari, K. Haga and R. Kaneko |
| A bidesmosidic triterpene glycoside from the roots of *Symphytum officinale* | 439 | M. Noorwala, F. V. Mohammad, V. U. Ahmad and B. Sener |
| Mabiosides C–E: triterpenoid saponins from the bark of *Colubrina elliptica* | 445 | A. Oulad-Ali, D. Guillaume, B. Weniger, Yulin Jiang and R. Anton |
| Triterpenoid saponins from *Bellium bellidioides* | 449 | T. Schöpke, M. I. H. Agha, V. Wray and K. Hiller |
| Minor desacylsaponins from the corms of *Crocosmia masoniorum* | 455 | Y. Asada, M. Ikeno and T. Furuya |
| (24*S*)-3$\beta$-Hydroxy-ergost-5-en-6-one from *Cyttaria johowii* | 459 | W.-R. Abraham and G. Schmeda-Hirschmann |
| Steroidal saponins from the bulbs of *Lilium speciosum* x *L. nobilissimum* 'Star Gazer' and their antitumour-promoter activity | 463 | O. Nakamura, Y. Mimaki, H. Nishino and Y. Sashida |
| Furostanosides from *Asparagus filicinus* roots | 469 | S. C. Sharma and N. K. Thakur |
| Benzophenones from *Clusia ellipticifolia* | 473 | E. Martinez Olivares, J. Gonzalez Gonzalez and F. Delle Monache |
| 1-Hydroxy-2,5,8-trimethyl-9-fluorenone from *Tripterygium wilfordii* | 477 | Xiao Y. Wu, Guo W. Qin, Da J. Fan and Ren S. Xu |
| Purified tannins from Quebracho colorado | 481 | W. Streit and D. Fengel |
| Lignans and other compounds from the Mixe Indian medicinal plant *Hyptis verticillata* | 485 | M. Kuhnt, H. Rimpler and M. Heinrich |
| Neolignans from bark and leaves of *Ocotea porosa* | 491 | J. M. David, M. Yoshida and O. R. Gottlieb |
| Antioxidant xanthones from *Garcinia subelliptica* | 501 | H. Minami, M. Kinoshita, Y. Fukuyama, M. Kodama, T. Yoshizawa, M. Sugiura, K. Nakagawa and H. Tago |
| Highly oxygenated bioactive flavones from *Tamarix* | 507 | V. S. Parmar, K. S. Bisht, S. K. Sharma, R. Jain, P. Taneja, S. Singh, O. Simonsen and P. M. Boll |

Flavonoids and a proanthocyanidin from rhizomes of *Selliguea feei* 513 Nam-In Baek, E. J. Kennelly, L. B. S. Kardono, S. Tsauri, K. Padmawinata, D. D. Soejarto and A. D. Kinghorn

Alkaloids from *Dactylicapnos torulosa* 519 G. Rücker, E. Breitmaier, G.-L. Zhang and R. Mayer

Quinoline alkaloids from *Orixa japonica* 525 S. Funayama, K. Murata and S. Nozoe

**Short Reports**

α-Truxillic acid from *Halimium verticillatum* 529 J. G. Urones, I. S. Marcos, D. Diez Martin, J. M. L. Rodilla, D. I. M. Dinis de Mendoça and D. J. Williams

Prenylated isocoumarins from *Bunium paucifolium* 531 G. Appendino, H. C. Özen and J. Jakupovic

Absolute configuration of the lignan oleiferins from *Virola oleifera* 533 A. M. A. P. Fernandes, L. E. S. Barata and P. H. Ferri

A xanthine alkaloid from the leaves of *Bosistoa floydii* 535 A. A. Auzi, A. I. Gray, T. G. Hartley, R. D. Waigh and P. G. Waterman

## Number 3

**Growth and Metabolism**

Structure and metabolism of 7-β-D-glucopyranosyladenine—the product of a cytokinin-sparing reaction? 537 T. W. Baumann, B. H. Schulthess, A. Linden and P. Rüedi

Invertase inhibitor in tomato fruit 543 R. Pressey

Lipoxygenase activity in ripening tomato fruit pericarp tissue 547 P. M. Ealing

Purification and characterization of a protein kinase from dwarf pea epicotyls 553 A. I. Ansari and R. C. Sachar

Molecular aspects of activation mechanisms of $CF_1$ 559 M. J. Iraburu, M^. J. Lopez-Zabalza, M. Saenz and E. Santiago

Tonoplast $H^+$-ATPase of mature pear fruit 565 M. Hosaka, Y. Kanayama, K. Shiratake and S. Yamaki

Tonoplast ATPase from peanut seedlings 569 S. Sen and V. Sharma

Substrates of diacylglycerol acyltransferase in microsomes from developing oil seeds 573 E. Wiberg, E. Tillberg and S. Stymne

Inhibitory effects of chlorogenic acids on linoleic acid peroxidation and haemolysis 579 M. Ohnishi, H. Morishita, H. Iwahashi, S. Toda, Y. Shirataki, M. Kimura and R. Kido

Synthesis and biological activity of 28-homobrassinolide and analogues 585 T. C. McMorris, P. A. Patil, R. G. Chavez, M. E. Baker and S. D. Clouse

Accumulation of flavonoids during leaf development in *Cistus laurifolius* 591 T. Vogt and P. G. Gülz

**Ecological Biochemistry**

Identification of retinal in higher plants: is a rhodopsin-like protein the blue light receptor? 599 R. Lorenzi, N. Ceccarelli, B. Lercari and P. Gualtieri

Seasonal variation of lipids and fatty acids from tree-growing lichens of the genus *Physcia* 601 V. M. Dembitsky, T. Rezanka and I. A. Bychek

An acylated delphinidin glycoside in the blue flowers of *Evolvulus pilosus* 609 K. Toki, N. Saito, K. Kawano, Tin Sen Lu, A. Shigihara and T. Honda

The anthocyanin responsible for purplish blue flower colour of *Aconitum chinense* 613 K. Takeda, S. Sato, H. Kobayashi, Y. Kanaitsuka, M. Ueno, T. Kinoshita, H. Tazaki and T. Fujimori

**Biosynthesis**

Glucosylation of $C_{19}$- and $C_{21}$-hydroxysteroids by soluble and membrane-bound glucosyltransferase from oat (*Avena sativa*) seedlings 617 M. Kalinowska

Identification of *Parthenium argentatum* rubber particle proteins immunoprecipitated by an antibody that specifically inhibits rubber transferase activity 623 D. J. Siler and K. Cornish

Biosynthesis of polyunsaturated lipids in the diatom, *Phaeodactylum tricornutum* 629 T. Arao, T. Sakaki and M. Yamada

Cadinanes from *Artemisia annua* that may be intermediates in the biosynthesis of artemisinin 637 G. D. Brown

**Cell Culture and Biotechnology**

Effect of gibberellic acid on berberine and tyrosine accumulation in *Coptis japonica* 643 Y. Hara, T. Laugel, T. Morimoto and Y. Yamada

Identification of unnatural phaseic acid as a metabolite derived from exogenously added (−)-abscisic acid in a maize cell suspension culture 647 J. J. Balsevich, S. R. Abrams, N. Lamb and W. A. König

Monoterpene cyclases in grand fir callus cultures: modulation by elicitors and growth regulators 651 E. Lewinsohn, E. Worden and R. Croteau

Biotransformation of *ent*-beyerenones by *Rhizopus nigricans* and *Curvularia lunata* cultures 657 A. García-Granados, A. Guerrero, A. Martínez, A. Parra and J. M. Arias

Astragalosides from hairy root cultures of *Astragalus membranaceus* 665 M. Hirotani, Yu Zhou, Hekai Lui and T. Furuya

Pregnane-type metabolites of brassinosteroids in cell suspension cultures of *Ornithopus sativus* 671 A. Kolbe, B. Schneider, A. Porzel, B. Voigt, G. Krauss and G. Adam

Bibenzyl derivatives from the liverwort *Ricciocarpos natans* 675 S. Kunz and H. Becker

Dauricine production in cultured roots of *Menispermum dauricum* 679 Y. Sugimoto, A. Yoshida, S. Uchida, S. Inanaga and Y. Yamada

**Chemotaxonomy**

Acetylenic fatty acids of the Dicranaceae 685 V. M. Dembitsky and T. Rezanka

Fatty acid composition of some marine microalgae 691 M.-O. Servel, C. Claire, A. Derrien, L. Coiffard and Y. De Roeck-Holtzhauer

Sesquiterpenes and other constituents from Chilean Mutisieae 695 M. Bittner, M. Silva, Z. Rozas, F. Papastergiou and J. Jakupovic

The distribution of labdane diterpenes in the Zingiberaceae of Malaysia 699 H. M. Sirat, D. Masri and A. A. Rahman

**Plant Chemistry**

Acetylenic and terpenoid constituents of *Boltonia asteroides* 703 J. G. Díaz, B. Barba and W. Herz

Monoterpenoid and phenylethanoid glycosides from *Ligustrum pedunculare* 709 Zheng-Dan He, S. Ueda, M. Akaji, T. Fujita, K. Inoue and Chong-Ren Yang

A sesquiterpene and other constituents from *Erigeron breviscapus* 717 Jianmin Yue, Zhongwen Lin, Dezu Wang and Handong Sun

| | | |
|---|---|---|
| Sesquiterpene lactones from *Inula salsoloides* | 721 | Bing-Nan Zhou, Nai-Sheng Bai, Long-Ze Lin and G. A. Cordell |
| Sesquiterpene lactones and dihydroflavonols from *Andryala* and *Urospermum* species | 725 | J. A. Marco, J. F. Sanz-Cervera, A. Yuste and M. C. Oriola |
| Pimarane diterpenes from *Kaempferia pulchra* | 731 | P. Tuchinda, J. Udchachon, V. Reutrakul, T. Santisuk, B. W. Skelton, A. H. White and W. C. Taylor |
| Rearranged isopimarenes and other diterpenoids from *Satureja gilliesii* | 735 | C. Labbé, M. Castillo, F. Fainia, J. Coll and J. D. Connolly |
| Diterpenoids from *Salvia coulteri* | 739 | B. Frontana, J. Cárdenas and L. Rodríguez-Hahn |
| Di- and triterpenoids of *Salvia pomifera* | 743 | G. Topcu, A. Ulubelen and C. Eriş |
| D: A-friedo-oleanane triterpenes from the roots of *Acanthothamnus aphyllus* | 747 | R. Estrada, J. Cárdenas, B. Esquivel and L. Rodríguez-Hahn |
| Molluscicidal saponins from a Zimbabwean strain of *Phytolacca dodecandra* | 753 | S. T. Thiilborg, S. B. Christensen, C. Cornett, C. E. Olsen and E. Lemmich |
| An anthraquinone derivative from *Cassia italica* | 761 | M. H. Kazmi, A. Malik, S. Hameed, N. Akhtar and S. N. Ali |
| Anthraquinones from *Knoxia valerianoides* | 765 | Zhu Zhou, Shan-Hao Jiang, Da-Yuan Zhu, Long-Ze Lin and G. A. Cordell |
| Acnistins F–H, withanolides from *Dunalia solanacea* | 769 | J. G. Luis, F. Echeverri and A. G. González |
| Determination of etherified hydroxycinnamic acids in cell walls of grasses | 773 | T. B. T. Lam, K. Iiyama and B. A. Stone |
| Novel angular pyranocoumarins from *Boronia lanceolata* | 777 | M. Ahsan, A. I. Gray, G. Leach and P. G. Waterman |
| Oligomeric and polymeric procyanidins from grape seeds | 781 | C. Prieur, J. Rigaud, V. Cheynier and M. Moutounet |
| Lignans and an aromatic acid from *Cinnamomum philippinense* | 785 | Tian-Shung Wu, Yann-Lii Leu, Yu-Yi Chan, Sheu-Meei Yu, Che-Ming Teng and Jeng-De Su |
| Neolignans and an isoprenylated phenol from *Piper clarkii* | 789 | S. Jensen, C. E. Olsen, O. D. Tyagi, P. M. Boll, F. A. Hussaini, S. Gupta, K. S. Bisht and V. S. Parmar |
| NMR spectral analysis of polyphenols from *Punica granatum* | 793 | M. A. M. Nawwar, S. A. M. Hussein and I. Merfort |
| Dihydrochalcones from the aerial parts of *Boronia inconspicua* | 799 | M. Ahsan, J. A. Armstrong and P. G. Waterman |
| Prenylstilbenes and prenylflavanones from *Schoenus nigricans* | 803 | A. M. Dawidar, J. Jakupovic, M. Abdel-Mogib and I. A. Mashaly |
| Isoflavones from *Garcinia nervosa* | 807 | M. Ilyas, M. Kamil, M. Parveen and M. S. Khan |
| **Short Reports** | | |
| Dihydroabscisic alcohol from *Averrhoa carambola* fruit | 811 | A. Lutz and P. Winterhalter |

Tocopheryl esters from *Nymphea alba* and *Nuphar luteum* 813 G. KLINK, A. BUCHS and F. O. GÜLACAR

Hydroxylated unsaturated fatty acid from cultures of a *Filoboletus* species 815 B. SIMON, T. ANKE and O. STERNER

De-*O*-methylracemosol: a tetracyclic 2,2-dimethylchroman from the roots of *Bauhinia racemosa* 817 P. PRABHAKAR, R. GANDHIDASAN, P. V. RAMAN, N. R. KRISHNASAMY and S. NANDURI

## Number 4

**Growth and Metabolism**

Short-term effect of nitrate on carbon metabolism of two sugar cane cultivars differing in their biomass production 819 I. PELAEZ ABELLAN, R. DE ARMAS URGUIZA, M.-H. VALADIER and M.-L. CHAMPIGNY

Biotransformation of 1-naphthalene acetic acid by the ectomycorrhizal fungus *Pisolithus arhizus* 825 M. S. C. PEDRAS, B. J. MCAFEE and M. S. LAPP

A new assay for quantifying endo-$\beta$-D-mannanase activity using Congo Red dye 829 B. DOWNIE, H. W. M. HILHORST and J. D. BEWLEY

Sugar accumulation in tomato and partial purification of buffer-insoluble invertase 837 P. BUCHELI and S. DÉVAUD

Effect of grain location on the panicle on activities involved in starch synthesis in rice endosperm 843 T. UMEMOTO, Y. NAKAMURA and N. ISHIKURA

Bacterial conversion of the fungal ascopyrone T to 2(*S*)-dihydro-ascopyrone T (haliclonol) 849 G. DEFFIEUX, J. VERCAUTEREN, M.-A. BAUTE, A. NEVEU and R. BAUTE

Fatty acid variations in the lichen, *Xanthoria parietina* 853 R. PIERVITTORI, F. ALESSIO and M. MAFFEI

Effects of potential signal transduction antagonists on phytoalexin accumulation in tobacco 857 C. L. PREISIG and R. A. MOREAU

**Ecological Biochemistry**

Effect of phenolic compounds in humus on the natural regeneration of spruce 865 F. PELLISSIER

Linear furanocoumarins and graveolone from the common herb parsley 869 R. C. BEIER, G. W. IVIE and E. H. OERTLI

Oviposition stimulant of a Zeryntiine swallowtail butterfly, *Luehdorfia japonica* 873 R. NISHIDA

Coumarins and an indole alkaloid from *Pamburus missionis* 879 V. KUMAR, H. N. K. BULUMULLA, W. R. WIMALASIRI and J. REISCH

Alkaloid distribution in two species of *Lupinus* in central British Columbia 883 W. MAJAK, W. J. KELLER, Z. DUAN, D. MUNRO, R. A. SMITH, A. M. DAVIES and R. T. OGILVIE

**Biosynthesis**

Substrate specificity of a glucosyltransferase and an *N*-hydroxylase involved in the biosynthesis of cyclic hydroxamic acids in Gramineae 887 V. LEIGHTON, H. M. NIEMEYER and L. M. V. JONSSON

2H-1,4-Benzoxazin-3(4H)-one, an intermediate in the biosynthesis of cyclic hydroxamic acids in maize 893 P. KUMAR , D. E. MORELAND and W. S. CHILTON

Triacylglycerol synthesis in developing kernels of groundnut as influenced by aliphatic alcohols 899 P. SHARMA and C. P. MALIK

The biotransformation of the diterpenoid, sclareol, by *Cephalosporium aphidicola* 903 J. R. HANSON, P. B. HITCHCOCK, H. NASIR and A. TRUNEH

| | | |
|---|---|---|
| Incorporation of acetate and cholesterol into 20-hydroxyecdysone by hairy root clone of *Ajuga reptans* var. *atropurpurea* | 907 | M. NAGAKARI, T. KUSHIRO, T. MATSUMOTO, N. TANAKA, K. KAKINUMA and Y. FUJIMOTO |
| Biosynthesis of phenylquinolizidine alkaloids by *Heimia salicifolia* | 911 | A. ROTHER and J. M. EDWARDS |
| **Cell Culture and Biotechnology** | | |
| Volatile constituents of wild and *in vitro* cultivated *Gloeophyllum odoratum* | 917 | K. KAHLOS, J. L. J. KIVIRANTA and R. V. K. HILTUNEN |
| **Chemotaxonomy** | | |
| Limonoids in seeds of three *Citrus* hybrids related to *Citrus ichangensis* | 923 | M. A. BERHOW, M. OMURA, H. OHTA, Y. OZAKI and S. HASEGAWA |
| Iridoids and verbascoside in Callitrichaceae, Hippuridaceae and Lentibulariaceae | 927 | S. DAMTOFT, S. R. JENSEN, J. THORSEN, P. MØLGÅRD and C. E. OLSEN |
| Differences in flavonoid patterns between genera within the Velloziaceae | 931 | C. A. WILLIAMS, J. B. HARBORNE, J. GREENHAM and J. EAGLES |
| Flavonoids in frond exudates of *Pityrogramma tartarea* | 941 | M. IINUMA, T. TANAKA and F. ASAI |
| **Plant Chemistry** | | |
| Oligopeptides from *Aster tataricus* | 945 | DONGLIANG CHENG, YU SHAO, R. HARTMAN, E. RODER and K. ZHAO |
| Two methoxybutanolides from *Lindera glauca* | 949 | K. SEKI, T. SASAKI, K. HAGA and R. KANEKO |
| Raimondalone, a sesquiterpene from a cotton interspecific hybrid | 953 | R. D. STIPANOVIC, HYEONG L. KIM, D. W. ALTMAN, A. A. BELL and R. J. KOHEL |
| Antimicrobial sesquiterpenes from *Prostanthera* aff. *melissifolia* and *P. rotundifolia* | 957 | J. E. DELLAR, M. D. COLE, A. I. GRAY, S. GIBBONS and P. G. WATERMAN |
| *cis*-Calamenene-related sesquiterpenoids from *Cupressus bakeri* foliage | 961 | YOUNG-KYOON KIM, L. G. COOL and E. ZAVARIN |
| Iridoid glycosides from *Phlomis younghusbandii* roots | 967 | R. KASAI, M. KATAGIRI, K. OHTANI, K. YAMASAKI, CHONG-REN YANG and O. TANAKA |
| Terpenoids from *Salvia sclarea* | 971 | A. ULUBELEN, G. TOPCU, C. ERIŞ, U. SÖNMEZ, M. KARTAL, S. KURUCU and C. BOZOK-JOHANSSON |
| Phenylbutanoid and taxane-like metabolites from needles of *Taxus brevifolia* | 975 | A. CHU, M. FURLAN, L. B. DAVIN, J. ZAJICEK, G. H. N. TOWERS, C. M. SOUCY-BREAU, S. J. RETTIG, R. CROTEAU and N. G. LEWIS |
| Taxol analogues from the roots of *Taxus* × *media* | 987 | L. BARBONI, P. GARIBOLDI, E. TORREGIANI, G. APPENDINO, B. GABETTA and E. BOMBARDELLI |
| Constituents of *Werneria ciliolata* and their *in vitro* anti-HIV activity | 991 | S. PIACENTE, R. AQUINO, N. DE TOMMASI, C. PIZZA, O. LOCK DE UGAZ, H. CHAVEZ ORELLANA and N. MAHMOOD |
| Two triterpenoids from *Gentiana tibetica* | 997 | YING-JUN ZHANG and CHONG-REN YANG |

| | | |
|---|---|---|
| A tetranortriterpenoid from the bark of *Entandrophragma utile* | 1001 | W. M. Daniewski, M. Gumułka, W. Danikiewicz, P. Gluziński, J. Krajewski, J. Sitkowski, E. Błoszyk, B. Drożdż, U. Jacobsson, T. Norin and F. Szafrański |
| Steroidal prosapogenins from *Dioscorea olfersiana* | 1005 | M. Haraguchi, A. P. Zaccarias Dos Santos, M. C. M. Young and E. P. Chu |
| Saponins conjugated with 2,3-dihydro-2,5-dihydroxy-6-methyl-4*H*-pyran-4-one from *Phaseolus coccineus* | 1009 | Y. Yoshiki, Jin-Hyeong Kim and K. Okubo |
| Mechanism of oxidative coupling of coniferyl alcohol | 1013 | P. Hapiot, J. Pinson, P. Neta, C. Francesch, F. Mhamdi, C. Rolando and S. Schneider |
| Scoloposides A–E, a series of 2-glucopyranosyloxy-5-hydroxybenzyl alcohol derivatives from *Scolopia spinosa* | 1021 | K. Shaari and P. G. Waterman |
| Identification of (+)-gallocatechin as a bio-antimutagenic compound in *Psidium guava* leaves | 1027 | T. Matsuo, N. Hanamure, K. Shimoi, Y. Nakamura and I. Tomita |
| A lignan from needles of Himalayan *Taxus baccata* | 1031 | B. Das, M. Takhi, K. V. N. S. Srinivas and J. S. Yadav |
| Gall polyphenolics of *Tamarix aphylla* | 1035 | M. A. M. Nawwar and S. A. M. Hussein |
| 4′-Hydroxy-3,6-dimethoxy-6″,6″-dimethylchromeno(7,8,2″,3″)-flavone from *Citrus reticulata* cv *blanco* | 1039 | V. K. Saxena and P. Shrivastava |
| Quercetin 3-[triacetylarabinosyl(1 → 6)galactoside] and chromones from *Calluna vulgaris* | 1043 | A. Simon, A. J. Chulia, M. Kaouadji and C. Delage |
| Prenylated isoflavanone from the roots of *Erythrina sigmoidea* | 1047 | A. E. Nkengfack, T. W. Vouffo, Z. T. Fomum, M. Meyer, O. Bergendorff and O. Sterner |
| Kamaline, an unusual aporphine alkaloid, from *Stephania venosa* | 1053 | J. Banerji, A. Chatterjee, A. Patra, P. Bose, R. Das (née Chakrabarti), B. Das, M. Shamma and B. Tantisewie |
| 5′-*O*-Demethyl-8-*O*-methyl-7-*epi*-dioncophylline A and its 'regularly' configurated atropisomer from *Triphyophyllum peltatum* | 1057 | G. Bringmann, M. Rübenacker, W. Koch, D. Koppler, T. Ortmann, M. Schäffer and L. Aké Assi |
| Aristolochic acids, aristolactam alkaloids and amides from *Aristolochia kankauensis* | 1063 | Tian-Shung Wu, Li-Fei Ou and Che-Ming Teng |
| Huperserratinine from *Huperzia serrata* | 1069 | Da-Yuan Zhu, Shang-Hao Jiang, Mei-Fen Huang, Long-Ze Lin and G. A. Cordell |
| Two carbazole alkaloids from *Murraya koenigii* | 1073 | J. Reisch, A. C. Adebajo, V. Kumar and A. J. Aladesanmi |
| **Short Reports** | | |
| A sesquiterpene ether from *Laurencia obtusa* | 1077 | S. N. Ayyad, J. Jakupovic and M. Abdel-Mogib |
| A farnesyl acetophenone derivative from *Ferula communis* var. *genuina* | 1079 | D. Lamnaouer, F. B. Khalti, M.-T. Martin and B. Bodo |

The monoterpene 9-hydroxythymol from *Bahia schaffneri* var. *aristata* 1081 A. L. Pérez and A. Romo De Vivar

Prenylated flavanones from *Dalea elegans* 1083 M. Caffaratti, M. G. Ortega, M. E. Scarafia, L. Ariza Espinar and H. R. Juliani

5,7,5′-Trihydroxy-3,6,2′,4′-tetramethoxyflavone from *Eupatorium buniifolium* 1085 L. Muschietti, V. Martino, G. Ferraro and J. Coussio

5,7,2′,5′-Tetrahydroxydihydroflavonol 3-rhamnoside from *Plinia pinnata* 1087 J. Mendez, M. Hasegawa, A. R. Bilia and I. Morelli

An acylated flavone *C*-glycoside from *Glycyrrhiza eurycarpa* 1089 Ming Liu, Qin Liu, Yong-Long Liu, Cui-Ying Hou and T. J. Mabry

## Number 5

**Announcements** ix

**Foreword** 1091 V. De Luca and J. B. Harborne

**Review Article Number 89**
2-Oxoglutarate-dependent dioxygenase and related enzymes: biochemical characterization 1093 E. De Carolis and V. De Luca

**Review Article Number 90**
Recent advances in the flavonoid chemistry of African plants 1109 N. A. M. Saleh

**Growth and Metabolism**
Purification of an apple polyphenoloxidase isoform resistant to SDS–proteinase K digestion 1117 L. Marquès, A. Fleuriet, J.-C. Cleyet-Marel and J.-J. Macheix

Ubiquitin-mediated degradation of tryptophan decarboxylase from *Catharanthus roseus* 1123 J. A. Fernandez and V. De Luca

Spinach carbonic anhydrase: identification of two immunologically related protein species 1129 N. Daigle, P. A. Rogers and P. M. Charest

Partial purification and characterization of *Arabidopsis thaliana* UDPG: thiohydroximate glucosyltransferase 1133 L. Guo and J. E. Poulton

Multiple forms of flavonol *O*-glucosyltransferases in young leaves of *Euonymus alatus* f. *ciliato-dentatus* 1139 N. Ishikura and Zhi-qing Yang

Protein kinase-catalysed protein phosphorylation in rice leaves 1147 T. Masuda, S. Komatsu and H. Hirano

Inhibition of wheat embryo calcium-dependent protein kinase by acridines and azaacridines 1153 Qingping Chen, L. W. Deady and G. M. Polya

Inactivation of cell wall acidic peroxidase isoenzymes during the oxidation of coniferyl alcohol in *Lupinus* 1161 M. A. Ferrer and A. Ros Barceló

Affinity purification and properties of polyphenoloxidase from *Solanum tuberosum* 1165 S. U. Pathak and V. S. Ghole

Inhibition of 5-aminolevulinic acid dehydratase activity by gabaculine 1169 P. Kedy, P. Bruyant and A. P. Balangé

Phospholipid and free sterol composition of hypocotyl plasma membranes of ageing Mung bean seedlings 1177 V. M. Stallaert and J. M. C. Geuns

**Ecological Biochemistry**
(Delphinidin 3-gentiobiosyl) (apigenin 7-glucosyl) malonate from the flowers of *Eichhornia crassipes* 1181 K. Toki, N. Saito, K. Iimura, T. Suzuki and T. Honda

Acicerone: an isoflavone from *Astragalus cicer* 1185 A. W. Lenssen, S. S. Martin, C. E. Townsend and B. Hawkins

**Biosynthesis**

Pigmentation patterns of modern rose mutants throw light on the flavonoid pathway in *Rosa* × *hybrida* — 1189 — J.-P. Biolley, M. Jay and G. Forkmann

The involvement of hydrogen peroxide in the production of volatile halogenated compounds by *Meristiella gelidium* — 1197 — J. Collén, A. Ekdahl, K. Abrahamsson and M. Pedersén

Formation of farnesyl oleate and three other farnesyl fatty acid esters by cell-free extracts from *Botryococcus braunii* B race — 1203 — H. Inoue, T. Korenaga, H. Sagami, T. Koyama, H. Sugiyama and K. Ogura

Biosynthesis and transformation of tremorgenic indole-diterpenoids by *Penicillium paxilli* and *Acremonium lolii* — 1209 — P. G. Mantle and C. M. Weedon

Canadine synthase from *Thalictrum tuberosum* cell cultures catalyses the formation of the methylenedioxy bridge in berberine synthesis — 1219 — M. Rueffer and M. H. Zenk

**Cell Culture and Biotechnology**

Acylated flavonoids in callus cultures of *Citrus aurantifolia* — 1225 — M. A. Berhow, R. D. Bennett, S. M. Poling, S. Vannier, T. Hidaka and M. Omura

**Chemotaxonomy**

Flavonoids of *Umbellularia californica* — 1229 — H. A. Neville and B. A. Bohm

Eicosanoids from the tropical red alga *Murrayella periclados* — 1233 — M. W. Bernart and W. H. Gerwick

Seasonal and tissue variation in taxane concentrations of *Taxus brevifolia* — 1241 — N. C. Vance, R. G. Kelsey and T. E. Sabin

**Plant Chemistry**

Two limonoids from *Chisocheton microcarpus* — 1245 — P. J. Gunning, L. B. Jeffs, M. B. Isman and G. H. N. Towers

Ellagitannins in European oak wood: polymerization during wood ageing — 1249 — J. Klumpers, A. Scalbert and G. Janin

Ellagitannins in woods of sessile oak and sweet chestnut dimerization and hydrolysis during wood ageing — 1253 — C. Viriot, A. Scalbert, C. L. M. Hervé du Penhoat and M. Moutounet

Prenylated flavonoids in the roots of yellow lupin — 1261 — S. Tahara, Y. Katagiri, J. L. Ingham and J. Mizutani

Production of an isonitrile antibiotic by an UV-induced mutant of *Trichoderma harzianum* — 1273 — J. L. Faull, K. A. Graeme-Cook and B. L. Pilkington

Cembratrienols and other components of white bark pine (*Pinus heldreichii*) oleoresin — 1277 — W. Lange, T. S. Janežić and M. Spanoudaki

Constituents of *Tanacetum densum* subsp. *eginense* — 1281 — N. Gören and E. Tahtasakal

Bakerol: an unusual nor-acorane hemiketal from *Cupressus bakeri* foliage — 1283 — L. G. Cool, Young-Kyoon Kim, E. Zavarin and G. E. Ball

Antibacterial trichorabdal diterpenes from *Rabdosia trichocarpa* — 1287 — K. Osawa, H. Yasuda, T. Maruyama, H. Morita, K. Takeya and H. Itokawa

An oleanane acid from *Alibertia edulis* — 1293 — C. B. Brochini, D. Martins, N. F. Roque and V. da S. Bolzani

Acnistins C and D, withanolides from *Dunalia solanacea* — 1297 — J. G. Luis, F. Echeverri and A. G. González

Protolimonoid and lignans from *Zanthoxylum petiolare* — 1303 — M. S. P. Arruda, J. B. Fernandes, P. C. Vieira, M. F. Das G. F. da Silva and J. R. Pirani

| | | |
|---|---|---|
| Ergostane glycosides from *Petunia hybrida* | 1307 | K. SHINGU, H. FUJII, K. MIZUKI, I. UEDA, S. YAHARA and T. NOHARA |
| Phomapyrones: three metabolites from the blackleg fungus | 1315 | M. S. C. PEDRAS, V. M. MORALES and J. L. TAYLOR |
| Pigments from the cultured lichen mycobionts of *Graphis scripta* and *G. desquamescens* | 1319 | H. MIYAGAWA, N. HAMADA, M. SATO and T. UENO |
| Isoswertiajaponin 2″-*O*-β-arabinopyranoside and other flavone-*C*-glycosides from the Antarctic grass *Deschampsia antarctica* | 1323 | R. F. WEBBY and K. R. MARKHAM |
| Alkaloids of *Stephania bancroftii* | 1327 | J. P. BARTLEY, L. T. BAKER and C. F. CARVALHO |
| Two minor alkaloids from roots of *Stemona tuberosa* | 1333 | WEN HAN LIN, LI MA, MENG SHEN CAI and R. A. BARNES |
| **Short Reports** | | |
| 15α-Hydroxy-24-methylenelanosta-7,9(11)-dien-3-one from the stem bark of *Desmos longiflorus* | 1337 | J. D. CONNOLLY, M. D. E. HAQUE, C. M. HASAN and M. S. HOSSAIN |
| **Book Reviews** | | |
| Biology and Conservation of the Monarch Butterfly: edited by S. B. MALCOLM and M. P. ZALUCKI | 1339 | J. B. HARBORNE |
| *Xanthomonas*: edited by J. G. SWINGS and E. L. CIVEROLE | 1339 | J. B. HARBORNE |
| The Biology of Fungi: by C. T. INGOLD and H. J. HUDSON | 1339 | J. B. HARBORNE |
| Reproduction in Fungi, Genetical and Physiological Aspects: by C. G. ELLIOTT | 1339 | J. B. HARBORNE |
| Phytochemistry and Agriculture: edited by T. A. VAN BEEK and H. BRETELER | 1340 | J. B. HARBORNE |
| Volatile Oil Crops: edited by R. K. M. HAY and P. G. WATERMAN | 1340 | J. D. ROSS |


## Number 6


| | | |
|---|---|---|
| **Announcement** | ix | |
| **Growth and Metabolism** | | |
| A caffeoyl–fatty acid–glycerol ester from wax associated with green cotton fibre suberin | 1343 | A. SCHMUTZ, T. JENNY and U. RYSER |
| Acetohydroxymate induced nitrogen deficiency in $N_2$-fixing pigeon pea | 1347 | D. SREENIVAS REDDY, G. REDDY and H. POLASA |
| Characterization of purified γ-glutamyl transpeptidase in onions: evidence for *in vivo* role as a peptidase | 1351 | J. E. LANCASTER and M. L. SHAW |
| Biosynthesis of theobromine and caffeine in developing leaves of *Coffea arabica* | 1359 | N. FUJIMORI and H. ASHIHARA |
| Binding of berberine to a membrane fraction from *Coptis* cells | 1363 | H. SATO, T. TANAKA, S. TANAKA and M. TABATA |
| **Ecological Biochemistry** | | |
| Potential allelopathic lupane triterpenes from bioactive fractions of *Melilotus messanensis* | 1369 | F. E. MACÍAS, A. M. SIMONET and M. DOLORES ESTEBAN |
| An antifungal γ-pyrone and xanthones with monoamine oxidase inhibitory activity from *Hypericum brasiliense* | 1381 | L. ROCHA, A. MARSTON, M. A. C. KAPLAN, H. STOECKLI-EVANS, U. THULL, B. TESTA and K. HOSTETTMANN |
| Antimicrobial isoflavans from *Astragalus* species | 1387 | N. A. EL-SEBAKHY, A. M. ASAAD, R. M. ABDALLAH, S. M. TOAIMA, M. S. ABDEL-KADER and F. R. STERMITZ |

**Biosynthesis**

Biotransformation of some stemodane diterpenoids by *Cephalosporium aphidicola* — 1391 — J. R. Hanson, P. B. Reese, J. A. Takahashi and M. R. Wilson

The biotransformation by *Cephalosporium aphidicola* of some aphidicolanes substituted on ring A — 1395 — J. R. Hanson and A. G. Jarvis

Biosynthesis of ecdysone and ecdysone phosphates in spinach — 1399 — R. J. Grebenok, S. Venkatachari and J. H. Adler

Enzymic 12-hydroxylation and 12-*O*-methylation of dihydrochelirubine in dihydromacarpine formation by *Thalictrum bulgaricum* — 1409 — L. Kammerer, W. De-Eknamkul and M. H. Zenk

**Cell Culture and Biotechnology**

Phytoalexin induction in green pepper cell cultures treated with arachidonic acid — 1417 — T. Hoshino, M. Chida, T. Yamaura, Y. Yoshizawa and J. Mizutani

Microbial hydroxylation of sclareol — 1421 — W.-R. Abraham

**Chemotaxonomy**

Sesqui- and diterpenoids from *Plagiochila* species — 1425 — F. Nagashima, H. Tanaka, M. Toyota, T. Hashimoto, Y. Kan, S. Takaoka, M. Tori and Y. Asakawa

Erythroxan diterpenes from *Fagonia* species — 1431 — M. S. Abdel-Kader, A. A. Omar, N. A. Abdel-Salam and F. R. Stermitz

**Plant Chemistry**

Linalyl $\beta$-D-glucopyranoside and its 6′-*O*-malonate as aroma precursors from *Jasminum sambac* — 1435 — J.-H. Moon, N. Watanabe, K. Sakata, J. Inagaki, A. Yagi, K. Ina and S. Luo

Sesquiterpenes from *Fabiana imbricata* — 1439 — G. Schmeda-Hirschmann and F. Papastergiou

Sesquiterpene lactones from *Montanoa leucantha* subsp. *leucantha* — 1443 — L. Quijano, R. I. Trejo, O. Collera and T. Ríos

Artabsin and 3-oxa-artabsin derivatives from *Achillea millefolium* species — 1449 — H. Schröder, U. Kastner, K. Gargula, M. Budešínský, E. Haslinger, J. Jurenitsch and W. Kubelka

*Neo*-clerodane diterpenoids from *Linaria saxatilis* var. *glutinosa* — 1453 — M. Gordaliza, J. M. Miguel Del Corral, M. L. De La Puente and A. San Feliciano

6,7-Oxygenated neo-clerodane furan diterpenes from *Croton sonderianus* — 1457 — E. R. Silveira and J. D. McChesney

A sterol with an unusual side chain from *Anoectochilus koshunensis* — 1465 — A. Ito, K. Yasumoto, R. Kasai and K. Yamasaki

A triterpene from *Rubus pinfaensis* — 1469 — D. G. Durham, Xiaojun Liu and R. M. E. Richards

Foliumin, a spirosten lactone saponin from *Solanum amygdalifolium* — 1473 — F. Ferreira, A. Vazquez, P. Moyna and L. Kenne

Oleanane glycosides from *Hydrocotyle ranunculoides* — 1479 — M. Della Greca, A. Fiorentino, P. Monaco and L. Previtera

Oleanane-triterpene saponins from *Clinopodium chinense* var. *parviflorum* — 1485 — F. Mori, T. Miyase and A. Ueno

Two triterpenoid saponins from *Heinsia crinata* — 1489 — Babady-Bila, C. Wynants, S. Toppet, A. Kilonda and G. Hoornaert

| | | |
|---|---|---|
| Cytotoxic limonoids from *Melia azedarach* var. *Japonica* | 1493 | JONG-WOONG AHN, SANG-UN CHOI and CHONG-OCK LEE |
| Prenylated $C_6$–$C_3$ compounds from *Illicium tashiroi* | 1497 | Y. FUKUYAMA, N. SHIDA, Y. HATA and M. KODAMA |
| Phenolic diarylheptanoids from *Curcuma xanthorrhiza* | 1505 | A. SUKSAMRARN, S. EIAMONG, P. PIYACHATURAWAT and J. CHAROENPIBOONSIN |
| Stilbenoids from *Cassia garrettiana* | 1509 | K. BABA, T. KIDO, M. TANIGUCHI and M. KOZAWA |
| Ochrolic acid, a precursor to phenanthropyrones, from *Coelogyne ochracea* | 1515 | V. ANURADHA, N. S. PRAKASA RAO and M. UDAYA BHASKAR |
| An isoflavone glycoside from the seeds of *Trichosanthes anguina* | 1519 | R. N. YADAVA and Y. SYEDA |
| Rotenoids and chalcones from *Mandulea sericea* that inhibit phorbol ester-induced ornithine decarboxylase activity | 1523 | L. LUYENGI, IK-SOO LEE, WOONGCHON MAR, H. H. S. FONG, J. M. PEZZUTO and A. D. KINGHORN |
| Diterpenoid alkaloids from Ayurvedic processed and unprocessed *Aconitum ferox* | 1527 | J. B. HANUMAN and A. KATZ |
| Alkaloids from the bark of *Holarrhena pubescens* | 1537 | S. BEGUM, S. B. USMANI, B. S. SIDDIQUI and S. SIDDIQUI |
| Canthin-6-one alkaloids from *Brucea mollis* var. *tonkinensis* | 1543 | Y. OUYANG, K. KOIKE and T. OHMOTO |
| **Short Reports** | | |
| Sesquiterpenoids and iridoid glycosides from *Valeriana fauriei* | 1547 | K. NISHIYA, T. KIMURA, K. TAKEYA and H. ITOKAWA |
| Teutrifidin, a *neo*-clerodane diterpenoid from *Teucrium trifidum* | 1549 | M. T. DAVIES-COLEMAN, J. R. HANSON and D. E. A. RIVETT |
| The isolation of 16$\beta$,18-dihydroxyaphidicolan-17-oic acid from *Cephalosporium aphidicola* | 1551 | J. R. HANSON and J. A. TAKAHASHI |
| Phytene-1,2-diol from *Artemisia annua* | 1553 | G. D. BROWN |
| An acidic triterpene glycoside from *Cephalaria transsylvanica* | 1555 | S. KIRMIZIGÜL and H. ANIL |
| Phenylethanoid glycoside from *Veronica undulata* | 1557 | H. AOSHIMA, T. MIYASE and A. UENO |
| Revision of the structure of obtusifol | 1559 | M. BOEYKENS, N. DE KIMPE, S. L. DEBENEDETTI, E. L. NADINIC, M. A. GOMEZ, J. D. COUSSIO, A. Z. ABYSHEV and V. A. GINDIN |
| Millettonine, a guanidine alkaloid from *Millettia laurentii* | 1561 | P. KAMNAING, S. N. Y. FANSO FREE, Z. T. FOMUM, M.-T. MARTIN and B. BODO |
| **Erratum and corrigendum** | 1563 | |

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.